



US00D340546S

# United States Patent [19]

Kamata

[11] Patent Number: **Des. 340,546**

[45] Date of Patent: **\*\* Oct. 19, 1993**

[54] **HELMET**

[75] Inventor: **Eitaro Kamata, Tokyo, Japan**

[73] Assignee: **Shoei Kako Kabushiki Kaisha, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **723,014**

[22] Filed: **Jun. 28, 1991**

[30] **Foreign Application Priority Data**

Feb. 8, 1991 [JP] Japan ..... 3-3235

[52] U.S. Cl. .... **D29/15**

[58] Field of Search ..... **D29/12-16;**  
2/2, 410-412, 414, 417-418, 423-425

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 234,650 4/1975 Kamata ..... D29/15
- D. 249,396 9/1978 Kamata ..... D29/15
- D. 273,339 4/1984 Gevert ..... D29/15
- D. 312,513 11/1990 Morin ..... D29/12

- D. 330,096 10/1992 Heinrich ..... D29/15
- D. 334,250 3/1993 Gallet ..... D29/15


*Primary Examiner*—Ruth McInroy  
*Attorney, Agent, or Firm*—Armstrong, Westerman,  
Hattori, McLeland & Naughton

[57] **CLAIM**

The ornamental design for a helmet, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a helmet showing my new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a rear elevational view thereof;  
 FIG. 4 is a top plan view thereof;  
 FIG. 5 is a bottom plan view thereof;  
 FIG. 6 is a left side elevational view thereof;  
 FIG. 7 is a right side elevational view thereof;  
 FIG. 8 is a sectional view taken along line 8—8 in FIG. 2; and,  
 FIG. 9 is a perspective view thereof with the shield plate in an open position.



*FIG. 1*




FIG. 3






FIG. 2



*FIG. 4*



*FIG. 5*




FIG. 6






FIG. 7



*FIG. 8*



*FIG. 9*

