



US00D340568S

United States Patent [19]

[11] Patent Number: **Des. 340,568**

Lane

[45] Date of Patent: **** Oct. 26, 1993**

[54] **FOOD PRODUCT**

| | | | |
|-----------|---------|-------------|-----------|
| 3,733,206 | 5/1973 | Jensen, Jr. | 426/454 |
| 4,205,091 | 5/1980 | Van Horne | 426/144 X |
| 4,963,379 | 10/1990 | Ferrero | 426/104 X |

[75] Inventor: **Gordon S. Lane, Baldwinsville, N.Y.**

[73] Assignee: **Nestec S.A., Vevey, Switzerland**

Primary Examiner—Wallace R. Burke
Assistant Examiner—Pamela Burgess
Attorney, Agent, or Firm—Vogt & O'Donnell

[**] Term: **14 Years**

[21] Appl. No.: **850,439**

[57] **CLAIM**

[22] Filed: **Mar. 12, 1992**

The ornamental design for a food product, as shown and described.

[52] U.S. Cl. **D1/121; D25/113**

[58] Field of Search **D1/100, 121, 125, 126, D1/127, 128, 199; 426/512, 144, 104, 454; D9/345; D25/113**


DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|--------|------------|----------|
| D. 45,900 | 2/1914 | Ward | D1/121 |
| D. 91,644 | 3/1934 | Blackstone | D1/121 X |
| D. 170,362 | 9/1953 | Opler | D1/121 |

FIG. 1 is a perspective view of a food product showing my new design;
FIG. 2 is a top plan view;
FIG. 3 is a side view;
FIG. 4 is an additional side view;
FIG. 5 is an end view;
FIG. 6 is an additional end view; and,
FIG. 7 is a bottom plan view.






FIG. 1




FIG. 7

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 340,568
DATED : October 26, 1993
INVENTOR(S) : Gordon S. Lane

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title page, col. 2, line 4 of the DESCRIPTION, in the Fig. 3,
"sie" should be --side--.

Signed and Sealed this
Fifth Day of April, 1994



BRUCE LEHMAN

Commissioner of Patents and Trademarks

Attest:

Attesting Officer