



US00D340679S

United States Patent [19]

[11] Patent Number: Des. 340,679

Chen

[45] Date of Patent: ** Oct. 26, 1993

[54] BELT BUCKLE

DESCRIPTION

[76] Inventor: Mike C. F. Chen, 17, Kung 6 Road, Linkou 2nd Industrial Park, Taipei Hsien, Taiwan

[**] Term: 14 Years

[21] Appl. No.: 636,362

[22] Filed: Dec. 31, 1990

[52] U.S. Cl. D11/232

[58] Field of Search D11/1, 99, 81, 200-201, D11/208, 210, 216-219, 231-233, 236-238, 223; 204/307-314, 323, 644, 646, 650, 170, 68 R, 68 J, 198, 196, 103; D2/624-640, 233; D21/204, 205, 203; D3/61-65; 24/113 MK, 163 K

[56] References Cited

U.S. PATENT DOCUMENTS

1,482,940 2/1924 Munzer 24/113 MP
4,377,939 3/1983 Reinsdorf 24/163 K

OTHER PUBLICATIONS


Honk Kong Enterprise Jul. 1987 publication-Item Located upper left of p. 344.
Jacobs Gardner Catalog Items circled top half of p. 22.

Primary Examiner—A. Hugo Word
Assistant Examiner—R. Seifert
Attorney, Agent, or Firm—Woodard, Emhardt, Naughton, Moriarty & McNett

[57] CLAIM

The ornamental design for a belt buckle, as shown and described.

FIG. 1 is a top plan view of a belt buckle showing my new design;
FIG. 2 is a bottom plan view;
FIG. 3 is a left side elevational view, the opposite side being a mirror image;
FIG. 4 is a front elevational view;
FIG. 5 is a rear elevational view;
FIG. 6 is a perspective view;
FIG. 7 is a top plan view of a belt buckle showing a second embodiment of my new design;
FIG. 8 is a bottom plan view of FIG. 7;
FIG. 9 is a left side elevational view of FIG. 7, the opposite side view being a mirror image;
FIG. 10 is a front elevational view of FIG. 7;
FIG. 11 is a rear elevational view of FIG. 7;
FIG. 12 is a perspective view of FIG. 7;
FIG. 13 is a top plan view of a belt buckle showing a third embodiment of my new design;
FIG. 14 is a bottom plan view of FIG. 13;
FIG. 15 is a left side elevational view of FIG. 13, the opposite side view being a mirror image;
FIG. 16 is a front elevational view of FIG. 13;
FIG. 17 is a rear elevational view of FIG. 13;
FIG. 18 is a perspective view of FIG. 13;
FIG. 19 is a top plan view of a belt buckle showing a fourth embodiment of my new design;
FIG. 20 is a bottom plan view of FIG. 19;
FIG. 21 is a left side elevational view of FIG. 19, the opposite side view being a mirror image;
FIG. 22 is a front elevational view of FIG. 19;
FIG. 23 is a rear elevational view of FIG. 19;
FIG. 24 is a perspective view of FIG. 19;
FIG. 25 is a top plan view of a belt buckle showing a fifth embodiment of my new design;
FIG. 26 is a bottom plan view of FIG. 25;
FIG. 27 is a left side elevational view of FIG. 25, the opposite side view being a mirror image;
FIG. 28 is a front elevational view of FIG. 25;
FIG. 29 is a rear elevational view of FIG. 25; and,
FIG. 30 is a perspective view of FIG. 25.






Fig. 4




Fig. 1




Fig. 3




Fig. 6




Fig. 2




Fig. 5




Fig. 10




Fig. 8




Fig. 7




Fig. 11




Fig. 9




Fig. 12




Fig. 16




Fig. 15




Fig. 18




Fig. 13




Fig. 14




Fig. 17




Fig. 22




Fig. 19




Fig. 23




Fig. 21




Fig. 24




Fig. 20




Fig. 28




Fig. 26




Fig. 25




Fig. 27




Fig. 30




Fig. 29