



US00D340846S

United States Patent [19]

[11] Patent Number: **Des. 340,846**

Nichols, Jr.

[45] Date of Patent: **** Nov. 2, 1993**

[54] **IMPLEMENT HEAD FOR RELOCATING CHRISTMAS LIGHTS**

3,921,288 11/1975 Clemens, Jr. 294/19.1
4,776,361 10/1988 Staton 294/19.1

[76] Inventor: **David J. Nichols, Jr.**, 29551 Dover St., Warren, Mich. 48093

Primary Examiner—Bernard Ansher
Assistant Examiner—Philip Hyder
Attorney, Agent, or Firm—Leon Gilden

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **731,947**

The ornamental design for an implement head for relocating christmas lights, as shown and described.

[22] Filed: **Jul. 18, 1991**

[52] U.S. Cl. **D8/14**

[58] Field of Search D8/14, 88, 89; 294/17, 294/26, 19.1, 19.3

DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 261,595	11/1981	Yellin	294/26
481,763	8/1892	Johnson	294/26
2,017,369	10/1935	McGhee	294/19.1
2,055,698	9/1936	Mulcahy	294/19.1
2,347,718	5/1944	Terry	294/19.1
3,048,139	8/1962	Duckett	294/17
3,888,535	6/1975	Rosso	294/19.1

FIG. 1 is a front elevational view of the implement head for relocating christmas light showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a reduced perspective view thereof; and, FIG. 8 is a perspective view thereof. The broken line portion of FIG. 7 is for illustrative purposes only and forms no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

