



US00D340889S

United States Patent [19]

[11] Patent Number: **Des. 340,889**

Himuro et al.

[45] Date of Patent: **** Nov. 2, 1993**

[54] AUTOMOBILE TIRE

[75] Inventors: **Yasuo Himuro; Toru Tsuda**, both of Tokyo, Japan

[73] Assignee: **Bridgestone Corporation**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **587,903**

[22] Filed: **Sep. 24, 1990**

[30] Foreign Application Priority Data

Mar. 23, 1990 [JP] Japan 2-9625

[52] U.S. Cl. **D12/147**

[58] Field of Search **D12/141-143, D12/145-151; 152/209 R, 209 B, 209 D**

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 301,024 5/1989 Himuro et al. D12/147
- D. 303,514 9/1989 Collette et al. D12/147

OTHER PUBLICATIONS

1990 Tread Design Guide, P35, General Radial St Tire, Third Row Down From Top, Left Side of Page.

1989 Tread Design Guide, P30, Dunlop G/T Qualifier H Radial Tire, Second Row Down From Top, Right Side of Page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] CLAIM

The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing our new design, it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a side elevation view thereof, the opposite side being substantially a mirror image of that shown;

FIG. 4 is an enlarged fragmentary front elevation view thereof; and,

FIG. 5 is an enlarged cross-sectional view thereof taken along line 5—5 of FIG. 4.




FIG.1




FIG.2




FIG. 3




FIG.4




FIG.5

