



US00D340895S

United States Patent [19]

Himuro et al.

[11] Patent Number: Des. 340,895
[45] Date of Patent: ** Nov. 2, 1993

[54] AUTOMOBILE TIRE

[75] Inventors: Yasuo Himuro; Masashiro Moriya,
both of Tokyo, Japan

[73] Assignee: Bridgestone Corporation, Tokyo,
Japan

[**] Term: 14 Years

[21] Appl. No.: 883,729

[22] Filed: May 15, 1992

[30] Foreign Application Priority Data

Nov. 20, 1991 [JP] Japan 3-34691

[52] U.S. Cl. D12/147

[58] Field of Search D12/145-151;
152/209 R, 209 A, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 305,016 12/1989 Hayakawa et al. D12/147
D. 313,210 12/1990 Tsutsumi et al. D12/146

D. 324,840 3/1992 Maxwell et al. D12/147
5,154,783 10/1992 Kuhr et al. D12/149

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[57] CLAIM

The ornamental design for an automobile tire, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing our new design, it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is an enlarged fragmentary front view thereof;
and,

FIG. 7 is a cross-sectional view taken along line 7—7 in
FIG. 6.




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

