



US00D340898S

United States Patent [19]
Kuroda

[11] **Patent Number: Des. 340,898**
[45] **Date of Patent: ** Nov. 2, 1993**

[54] **AUTOMOBILE TIRE**

[75] **Inventor:** Yutaka Kuroda, Kobe, Japan
[73] **Assignee:** Sumitomo Rubber Industries, Ltd.,
Kobe, Japan
[**] **Term:** 14 Years
[21] **Appl. No.:** 921,003
[22] **Filed:** Jul. 29, 1992
[30] **Foreign Application Priority Data**
Jan. 31, 1992 [JP] Japan 4-2628
[52] **U.S. Cl.** D12/147
[58] **Field of Search** D12/145-151;
152/209 R, 209 B, 209 D

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 284,178 6/1986 Kawabata et al. D12/147
D. 287,956 1/1987 Nishio et al. D12/147
5,105,864 4/1992 Watanabe et al. D12/147
FOREIGN PATENT DOCUMENTS
1-178006 7/1989 Japan 152/209 D

OTHER PUBLICATIONS

“Bridgestone Potenza RE71R (VR & ZR Rated) B-T-L-P-SB-RP-45-50-55-60 PM-M-RD” 1992 Tread Design Guide, A Beneet Garfield Publication p. 19.
Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Cushman, Darby & Cushman

[57] **CLAIM**

The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an automobile tire showing my new design, it being understood that the tread design is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown.
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is an enlarged fragmentary front elevational view thereof.



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

