



US00D340990S

United States Patent [19]

[11] Patent Number: **Des. 340,990**

Kawamura

[45] Date of Patent: **** Nov. 2, 1993**

[54] **WRIST BRACE**

D. 333,520 2/1993 Mann D24/190
5,058,576 10/1991 Grim et al. 602/21

[75] Inventor: **Norio Kawamura, Nagoya, Japan**

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Oliff & Berridge

[73] Assignee: **Colin Electronics Co., Ltd., Aichi, Japan**

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a wrist brace, as shown.

[21] Appl. No.: **773,075**

DESCRIPTION

[22] Filed: **Oct. 8, 1991**

[52] U.S. Cl. **D24/190**


[58] Field of Search D24/190; 602/21, 16,
602/39, 64; 2/16, 20, 162; 273/548; D21/233,
234

FIG. 1 is a front, top perspective view of a wrist brace, showing my new design;
FIG. 2 is a rear, bottom perspective view thereof;
FIG. 3 is a side elevational view thereof;
FIG. 4 is a side elevational view thereof, opposite that shown in FIG. 3;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is an end elevational view thereof; and,
FIG. 8 is an end elevational view thereof, opposite that shown in FIG. 7.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 239,143 3/1976 Arluck D24/190
D. 285,821 9/1986 Kneisley D24/190 X






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8