



US00D341000S

United States Patent [19]

[11] Patent Number: **Des. 341,000**

Kramer

[45] Date of Patent: **** Nov. 2, 1993**

[54] **MULTI-SHADE ARC BOOM FLOOR LAMP**

[76] Inventor: **Barry L. Kramer**, 6180 S. St. Andrews Pl., Los Angeles, Calif. 90047

[**] Term: **14 Years**

[21] Appl. No.: **884,959**

[22] Filed: **May 18, 1992**

[52] U.S. Cl. **D26/107; D26/131**

[58] Field of Search **D26/93, 102-112, D26/128-136; 362/410-414**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 86,494 3/1932 Sutter D26/107

FOREIGN PATENT DOCUMENTS

71849 8/1959 France 362/410
79700 8/1945 Norway 362/411

OTHER PUBLICATIONS

Best Catalog, 1988/89, p. 165, Arc Floor Lamp #14.
Home Lighting & Accessories, Feb. 1988, p. 29, Meyda Stained Glass Studio Shape.
Home Lighting & Accessories, Jul. 1989, p. 109, Multiple Shade Arc Lamp (EasyLight).
Sears Spring Catalog, 1991, p. 966, Bent Glass Swirl Globe #3.

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Timothy T. Tyson

[57] **CLAIM**

The ornamental design for a multi-shade arc boom floor lamp, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a multi-shade arc boom floor lamp, showing my new design;
FIG. 2 is a right side elevational view, the left side elevational view being a mirror image thereof;

FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is an enlarged top plan view of a single shade thereof;
FIG. 7 is an enlarged side elevational view of a single shade thereof;
FIG. 8 is an enlarged bottom plan view of a single shade thereof;
FIG. 9 is front elevational view of a second embodiment thereof;
FIG. 10 is right side elevational view of FIG. 9, the left side elevational view being the mirror image thereof;
FIG. 11 is a top plan view of FIG. 9;
FIG. 12 is a bottom plan view of FIG. 9;
FIG. 13 is a rear elevational view of FIG. 9;
FIG. 14 is a front elevational view of a third embodiment thereof;
FIG. 15 is a right side elevational view of FIG. 14, the left side elevational view being the mirror image thereof;
FIG. 16 is a top plan view of FIG. 14;
FIG. 17 is a bottom plan view of FIG. 14;
FIG. 18 is a rear elevational view of FIG. 14;
FIG. 19 is an enlarged top plan view of a single shade of FIG. 14;
FIG. 20 is an enlarged side elevational view of a single shade of FIG. 14;
FIG. 21 is a bottom plan view of a single shade of FIG. 14;
FIG. 22 is a front elevational view of a fourth embodiment thereof;
FIG. 23 is a right side elevational view of FIG. 22, the left side elevational view being the mirror image thereof;
FIG. 24 is a top plan view of FIG. 22;
FIG. 25 is a bottom plan view of FIG. 22; and,
FIG. 26 is a rear elevational view of FIG. 22.
The single shades in FIGS. 6, 7, and 8 and FIGS. 19, 20, and 21 are shown alone for convenience of illustration, each of the respective lamps being omitted for convenience of illustration.





FIG. 1




FIG. 2




FIG. 7





FIG. 6




FIG. 8




FIG. 3




FIG. 5




FIG. 4








FIG. 14




FIG. 15




FIG. 20





FIG. 19

FIG. 21





FIG. 16




FIG. 18




FIG. 17

FIG. 22




FIG. 23





FIG. 26




FIG. 24




FIG. 25