



US00D341026S

United States Patent [19]

[11] Patent Number: **Des. 341,026**

Barker

[45] Date of Patent: **** Nov. 9, 1993**

[54] **MULTI-PURPOSE, MULTI-PRODUCT, CUSHIONED/INSULATED CARRYING BAG**

2,988.125 6/1961 Reynolds 115/119 X

[76] Inventor: **Donald Barker, 8 Mountain Laurel La., Sandy Hook, Conn. 06482**

Primary Examiner—B. J. Bullock
Assistant Examiner—Paula A. Mortimer
Attorney, Agent, or Firm—Melvin I. Stoltz

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **814,927**

The ornamental design for a multi-purpose, multi-product, cushioned/insulated carrying bag, as shown and described.

[22] Filed: **Jan. 6, 1992**

[52] U.S. Cl. **D3/71; D3/42**

DESCRIPTION

[58] Field of Search **D3/71, 42, 48, 76, 74, D3/53, 50; 206/545, 315.1, 803; 190/100-105, 110, 107, 114; 150/119, 107; 383/99**

FIG. 1 is perspective view of the multi-purpose, multi-product, cushioned/insulated carrying bag showing my new design;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 279,939	8/1985	Richardson et al.	D3/42
1,110,907	9/1914	Dean et al.	190/902 X
1,658,997	2/1928	Mulford et al.	190/902 X
2,612,199	9/1952	Schocket	150/119 X
2,827,096	3/1958	Hinson	150/119 X

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a side elevational view thereof, looking from the right side of FIG. 1;

FIG. 6 is side elevational view thereof, looking from the left side of FIG. 1; and,

FIG. 7 is a bottom plan view thereof.




FIG. 1





FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

