



US00D341083S

United States Patent [19]

[11] Patent Number: **Des. 341,083**

Bareiss

[45] Date of Patent: **** Nov. 9, 1993**

[54] BOTTLE

[76] Inventor: **Raymond E. Bareiss**, 1033 Stillman, Eugene, Oreg. 97404

[**] Term: **14 Years**

[21] Appl. No.: **821,541**

[22] Filed: **Jan. 14, 1992**

[52] U.S. Cl. **D9/522; D9/516; D9/544; D9/572**

[58] Field of Search **D9/516, 522, 523, 529, D9/544, 561, 565, 546, 567, 572, 575, 510, 511, 512, 341, 347; 215/1 R, 1 C; D6/495**

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 25,856 8/1896 Helmer D9/522 X
- D. 35,322 11/1901 Roth D9/575
- D. 168,932 3/1953 Frydlander D9/529
- D. 322,398 12/1991 Plunkett D9/529
- D. 324,996 3/1992 Bareiss D9/575 X
- D. 333,231 2/1993 Bareiss D6/495

Primary Examiner—Bernard Ansher
Assistant Examiner—Lucy Lieberman

[57] CLAIM

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of the bottle showing my new design;
FIG. 2 is a top, rear and right side perspective view thereof;

FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a front elevation view thereof;
FIG. 6 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 5;
FIG. 7 is a right side elevation view thereof;
FIG. 8 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 7;
FIG. 9 is a rear elevation view thereof;
FIG. 10 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 9;
FIG. 11 is a left side elevation view thereof;
FIG. 12 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 11;
FIG. 13 is a top, front and left side perspective view thereof;
FIG. 14 is a top, front and right side perspective view of a second embodiment of the bottle;
FIG. 15 is a top, rear and right side perspective view thereof;
FIG. 16 is a top plan view thereof; the bottom plan view is identical to FIG. 4;
FIG. 17 is a front elevation view thereof;
FIG. 18 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 17;
FIG. 19 is a right side elevation view thereof;
FIG. 20 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 19;
FIG. 21 is a rear elevation view thereof;
FIG. 22 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 21;
FIG. 23 is a left side elevation view thereof;
FIG. 24 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 23; and,
FIG. 25 is a top, front and left side perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23



FIG. 24




FIG. 25

