



US00D341090S

# United States Patent [19]

[11] Patent Number: **Des. 341,090**

Bareiss

[45] Date of Patent: **\*\* Nov. 9, 1993**

[54] BOTTLE

[76] Inventor: **Raymond E. Bareiss**, 1033 Stillman, Eugene, Oreg. 97404

[\*\*] Term: **14 Years**

[21] Appl. No.: **821,543**

[22] Filed: **Jan. 14, 1992**

[52] U.S. Cl. .... **D9/572; D9/516; D9/544; D9/561**

[58] Field of Search ..... **D9/516, 544, 561, 572, D9/522, 523, 529, 565, 546, 567, 572, 575, 510, 511, 512, 341, 347; D6/495; 215/1 R, 1 C**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 35,322	11/1901	Roth	.....	D9/561
D. 83,641	3/1931	Panopulo	.....	D9/575
D. 168,932	3/1953	Frydlender	.....	D9/529
D. 319,390	8/1991	Bareiss	.....	D9/575
D. 324,996	3/1992	Bareiss	.....	D9/575 X
D. 328,432	8/1992	O'Reilly	.....	D9/546
D. 330,656	11/1992	Bareiss	.....	D6/495

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Lucy Lieberman

[57] **CLAIM**

The ornamental design for a bottle, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and right side perspective view of a bottle showing my new design;

FIG. 2 is a top, rear and right side perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevation view thereof;

FIG. 6 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 5;

FIG. 7 is a right side elevation thereof;

FIG. 8 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 7;

FIG. 9 is a rear elevation view thereof;

FIG. 10 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 9;

FIG. 11 is a left side elevation thereof;

FIG. 12 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 11;

FIG. 13 is a top front and left side perspective view thereof;

FIG. 14 is a top, front and right side perspective view of a second embodiment of the bottle, the top, front and left side perspective view is a mirror image thereof;

FIG. 15 is a top, rear and right side perspective view thereof, the top, rear and left side perspective view is a mirror image thereof;

FIG. 16 is a top plan view thereof, the bottom plan view is identical to FIG. 4;


FIG. 17 is a front elevation view thereof;

FIG. 18 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 17, and mirrors the image shown by the bottle when rotated counter-clockwise 45 degrees with respect to FIG. 17;

FIG. 19 is a right side elevation thereof, the left side elevation is a mirror image thereof;

FIG. 20 is an elevation view of the bottle shown rotated clockwise 45 degrees with respect to FIG. 19, which mirrors the image shown by the bottle when rotated clockwise an additional 90 degrees; and

FIG. 21 is a rear elevation view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13

