



US00D341093S

United States Patent [19]

[11] Patent Number: **Des. 341,093**

Smith et al.

[45] Date of Patent: **** Nov. 9, 1993**

- [54] **ROTARY MOTION TRANSDUCER WITH MULTIPLE MOUNTING ORIENTATIONS**
- [75] Inventors: **Philip D. Smith; John L. Staarmann,**
both of Boulder, Colo.
- [73] Assignee: **International Business Machines Corporation,**
Armonk, N.Y.
- [**] Term: **14 Years**
- [21] Appl. No.: **796,132**
- [22] Filed: **Nov. 21, 1991**
- [52] U.S. Cl. **D10/46**
- [58] Field of Search **D10/46, 67, 70;**
D14/100, 107; 73/432 R, 866.5; 377/17, 18, 19,
24; 434/300

Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Carl M. Wright


[57] CLAIM

The ornamental design for a rotary motion transducer with multiple mounting orientations, as shown and described.

DESCRIPTION

FIG. 1 is a top front right side elevational view of a rotary motion transducer with multiple mounting orientations showing our new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a back elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a right side elevational view thereof;
 FIG. 7 is a left side elevational view thereof;
 FIG. 8 is a partial back elevational view, with portions of the housing being shown in phantom lines which are identical to that shown in FIG. 3. The cap is removed for ease of illustration; and,
 FIG. 9 is a back elevational view of the cap thereof.

- [56] **References Cited**
 - U.S. PATENT DOCUMENTS**
 - D. 326,447 5/1992 Hofland et al. D14/107
 - D. 332,254 1/1993 Hofland et al. D14/100
- Primary Examiner*—Alan P. Douglas






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.

FIG. 5.




FIG. 6.




FIG. 7.




FIG. 8.




FIG. 9.