



[54] BUCKLE

[75] Inventor: Attilio Lovato, Pino Torinese, Italy

[73] Assignee: ITW Fastex Italia, S.p.A., Turin, Italy

[\*\*] Term: 14 Years

[21] Appl. No.: 792,067

[22] Filed: Nov. 14, 1991

[30] Foreign Application Priority Data

May 17, 1991 [IT] Italy ..... T091 o 000120

[52] U.S. Cl. .... D11/216; D11/218

[58] Field of Search ..... D11/200, 215-218,  
D11/212; 24/633 A, 631, 616, 200, 197, 163 R,  
196, 68 F; 297/467

[56] References Cited

U.S. PATENT DOCUMENTS

D. 300,614 4/1989 Geldwerth ..... D11/216  
D. 303,233 8/1989 Jang ..... D11/216  
D. 312,430 11/1990 Crowle ..... D11/216

Primary Examiner—A. Hugo Word

Assistant Examiner—R. Seifert

Attorney, Agent, or Firm—Schwartz & Weinrieb

[57] CLAIM

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a first element or component of a buckle showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a bottom plan view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a bottom plan view of a second element or component of the two-piece snap-engagement type buckle clasp mechanism showing my new design;

FIG. 8 is a front elevational view of the second element or component of FIG. 7;

FIG. 9 is a left side elevational view of the second element or component of FIG. 7;

FIG. 10 is a right side elevational view of the second element or component of FIG. 7;

FIG. 11 is a top plan view of the second element or component of FIG. 7;

FIG. 12 is a rear elevational view of the second element or component of FIG. 7;

FIG. 13 is a left side elevational view of the two-piece snap-engagement type buckle clasp mechanism with the first and second elements or components thereof connected together;


FIG. 14 is a front elevational view of the two-piece snap-engagement type buckle clasp mechanism with the first and second elements or components thereof connected together as shown in FIG. 13;

FIG. 15 is a top plan view of the two-piece snap-engagement type buckle clasp mechanism with the first and second elements or components thereof connected together as shown in FIG. 13;

FIG. 16 is a rear elevational view of the two-piece snap-engagement type buckle clasp mechanism with the first and second elements or components thereof connected together as shown in FIG. 13;

FIG. 17 is a bottom plan view of the two-piece snap-engagement type buckle clasp mechanism with the first and second elements or components thereof connected together as shown in FIG. 13; and,

FIG. 18 is a right side elevational view of the two-piece snap-engagement type buckle clasp mechanism with the first and second elements or components thereof connected together as shown in FIG. 13.






Fig. 1




Fig. 2




Fig. 3






Fig. 4




Fig. 5




Fig. 6




Fig. 8




Fig. 7




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13

Fig. 14





Fig. 15








Fig. 16

Fig. 17

Fig. 18

