



US00D341136S

United States Patent [19]

[11] Patent Number: **Des. 341,136**

Shimizu et al.

[45] Date of Patent: **** Nov. 9, 1993**

[54] **VIDEO PROJECTOR**

[75] Inventors: **Hiroshi Shimizu, Osaka; Aki Nagaoka, Suita, both of Japan**

[73] Assignee: **Sanyo Electric Co., Ltd., Osaka, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **740,467**

[22] Filed: **Aug. 5, 1991**

[30] **Foreign Application Priority Data**

Feb. 5, 1991 [JP] Japan 3-2844

[52] U.S. Cl. **D14/128; D16/221**

[58] Field of Search **D14/124-134, D14/299; 358/60, 237-239, 254-255; 312/7.2; D16/221**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 240,658 7/1976 Roche D14/128

D. 240,666 7/1976 Winslow et al. D14/128
D. 297,641 9/1988 Sogabe D14/128
D. 321,526 11/1991 Kurozumi et al. D16/221
D. 321,527 11/1991 Kurozumi et al. D16/221 X
4,963,984 10/1990 Womack 358/60 X

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Darby & Darby

[57] **CLAIM**

The ornamental design for a video projector, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of our new design with the carrying handle folded; FIG. 2 is a view thereof similar to FIG. 1 with the carrying handle raised; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a left side elevational view thereof; and, FIG. 8 is a right side elevational view thereof.




FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8

