



US00D341207S

# United States Patent [19]

Freese et al.

[11] Patent Number: Des. 341,207

[45] Date of Patent: \*\* Nov. 9, 1993

## [54] SECURITY GATE WITH WALK THROUGH FEATURE

[75] Inventors: T. Brent Freese, Westminster; Robert M. Parker, Aurora, both of Colo.

[73] Assignee: Gerry Baby Products Company, Denver, Colo.

[\*\*] Term: 14 Years

[21] Appl. No.: 851,529

[22] Filed: Mar. 13, 1992

## Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 754,706, Sep. 4, 1991.

[52] U.S. Cl. .... D25/38

[58] Field of Search ..... D25/38, 39; 49/50, 55, 49/56, 57; 52/507; 256/24,73

## [56] References Cited

## U.S. PATENT DOCUMENTS

|           |         |                        |        |
|-----------|---------|------------------------|--------|
| 2,896,277 | 7/1959  | Halligan .....         | 49/55  |
| 3,906,698 | 9/1975  | Oepping .....          | 52/507 |
| 4,150,510 | 4/1979  | Harrison et al. ....   | D25/38 |
| 4,607,455 | 8/1986  | Bluem et al. ....      | 49/55  |
| 4,671,012 | 6/1987  | Merklinger et al. .... | D25/38 |
| 4,787,174 | 11/1988 | Brown .....            | 49/55  |
| 4,831,777 | 5/1989  | Johnson, Jr. ....      | 49/55  |
| 5,060,421 | 10/1991 | Castelli .....         | 49/463 |

Primary Examiner—A. Hugo Word

Assistant Examiner—Doris Clark

Attorney, Agent, or Firm—Biebel &amp; French

## [57] CLAIM

The ornamental design for a security gate with walk through feature, as shown and described.

## DESCRIPTION

FIG. 1 is a front elevational view of a first embodiment of the security gate with walk through feature in a partially extended position;

FIG. 2 is a rear elevational view of the security gate with walk through feature of FIG. 1 in a retracted position;

FIG. 3 is a top plan view of the security gate with walk through feature of FIG. 1;

FIG. 4 is a bottom plan view of the security gate with walk through feature of FIG. 1;

FIG. 5 is an elevational view taken from the left end of the security gate with walk through feature of FIG. 1; FIG. 6 is an elevational view taken from the right end of the security gate with walk through feature of FIG. 1; FIG. 7 is a front elevational view of a second embodiment of the security gate with walk through feature in a partially extended position;


FIG. 8 is a rear elevational view of the security gate with walk through feature of FIG. 7 in a retracted position;

FIG. 9 is a top plan view of the security gate with walk through feature of FIG. 7;

FIG. 10 is a bottom plan view of the security gate with walk through feature of FIG. 7;

FIG. 11 is an elevational view taken from the right end of the security gate with walk through feature of FIG. 7; and,

FIG. 12 is an elevational view taken from the left end of the security gate with walk through feature of FIG. 7.






FIG - 1




FIG - 2



FIG. 3



FIG. 4

FIG - 5



FIG - 6






FIG - 7




FIG. 8




FIG-9




FIG-10

FIG-11



FIG-12

