



US00D341572S

# United States Patent [19]

[11] Patent Number: **Des. 341,572**

**Kuroki**

[45] Date of Patent: **\*\* Nov. 23, 1993**

[54] **CONTROL DATA INPUT DEVICE FOR USE WITH A SEWING MACHINE**

[75] Inventor: **Nobufusa Kuroki, Tokyo, Japan**

[73] Assignee: **Janome Sewing Machine Co., Ltd., Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **792,087**

[22] Filed: **Nov. 8, 1991**

[30] **Foreign Application Priority Data**

Jul. 17, 1991 [JP] Japan ..... 3-21327

[52] U.S. Cl. .... **D14/100; D15/72**

[58] Field of Search ..... D14/100, 105, 106, 107; 340/700, 706; 341/22, 23; 364/708, 709.04; 361/390; D15/72; 112/456-458

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 288,814 3/1987 Takahashi et al. .... D14/100  
D. 303,788 10/1989 Kondoh et al. .... D14/100

D. 312,245 11/1990 Uchida ..... D15/72 X  
D. 321,891 11/1991 Kumatani et al. .... D15/72  
4,299,182 11/1981 Tanaka ..... D15/72 X  
4,692,871 9/1987 Kinoshita et al. .... 112/458 X  
4,703,432 10/1987 Müller ..... 112/458 X  
5,005,500 4/1991 Kato et al. .... 112/457 X

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Freda S. Nunn  
*Attorney, Agent, or Firm*—Michael J. Striker

[57] **CLAIM**

The ornamental design for a control data input device for use with a sewing machine, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a control data input device for use with a sewing machine showing my new design;

FIG. 2 is a rear elevational view thereof;


FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;


FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,


FIG. 7 is a perspective view thereof.



FIG\_1




FIG\_2




FIG\_3



FIG\_4



FIG\_5



FIG\_6




FIG. 7

