



US00D341623S

United States Patent [19]

[11] Patent Number: **Des. 341,623**

Chuang

[45] Date of Patent: **** Nov. 23, 1993**

[54] **COMBINED WRITING INSTRUMENT AND REPLACEABLE WRITING TIPS**

[75] Inventor: **Cheng-Hwa Chuang, Taipei, Taiwan**

[73] Assignee: **Pioneer Industrial Corporation, Taipei, Taiwan**

[**] Term: **14 Years**

[21] Appl. No.: **893,216**

[22] Filed: **Jun. 2, 1992**

[30] **Foreign Application Priority Data**

Feb. 27, 1992 [JP] Japan 4-5087

[52] U.S. Cl. **D19/36; D19/48; D19/51; D19/56; D19/57**

[58] Field of Search **D19/35, 36, 41-51, D19/54-58, 81-85; 401/29-34, 57**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 199,564 11/1964 Koss D19/51 X
- D. 254,315 2/1980 Carre 19/51
- D. 259,642 6/1981 Gomez D19/51
- D. 259,793 7/1981 Carre D19/51
- D. 263,482 3/1982 Carre D19/51
- D. 270,843 10/1983 Itoh D19/51
- D. 273,490 4/1984 Zierhut D19/57
- D. 292,007 9/1987 Ambasz D19/48
- D. 305,245 12/1989 Chuang D19/57
- D. 310,542 9/1990 Renault D19/43
- D. 310,684 9/1990 Itoh D19/57
- D. 312,658 12/1990 Sumino D19/36
- D. 312,838 12/1990 Vitrac D19/57 X
- D. 317,324 6/1991 Chuang D19/57

- D. 329,660 9/1992 Yamanaka D19/48
- D. 329,873 9/1992 Tu D19/57 X
- D. 330,565 10/1992 Dallaire D19/43 X
- 1,737,798 12/1929 Kinzinger 401/57
- 3,338,215 8/1967 Chiu 401/57
- 3,708,235 1/1973 Kolomeir 401/57
- 3,862,683 1/1975 Koelichen .
- 3,993,409 11/1976 Hart 401/199
- 4,702,633 10/1987 Schmidt 401/34

FOREIGN PATENT DOCUMENTS

- 357413 8/1922 Fed. Rep. of Germany .
- 2514041 10/1976 Fed. Rep. of Germany .
- 862042 3/1961 United Kingdom .
- 2207641 2/1989 United Kingdom .

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Martha Thompson
Attorney, Agent, or Firm—Ladas & Parry

[57] **CLAIM**

The ornamental design for a combined writing instrument and replaceable writing tips, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined writing instrument and replaceable writing tips showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a right side elevational view thereof, the left side being a mirror image thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom view thereof; and,

FIG. 6 is a cross-sectional view thereof taken along the line of 6—6 of FIG. 1.







FIG. 1

FIG. 2

FIG. 3






FIG. 4



FIG. 5




FIG. 6