



US00D341704S

United States Patent [19]**Saito et al.**[11] **Patent Number: Des. 341,704**[45] **Date of Patent: ** Nov. 30, 1993**[54] **SPIKE FOR A SHOE**[75] **Inventors:** Kiyohiro Saito; Yoshiyuki Murakami,
both of Akashi; Yasufumi Handa,
Kobe, all of Japan[73] **Assignee:** Asics Corporation, Hyogo, Japan[**] **Term:** 14 Years[21] **Appl. No.:** 781,321[22] **Filed:** Oct. 24, 1991[30] **Foreign Application Priority Data**

May 2, 1991 [JP] Japan 3-12990

[52] **U.S. Cl.** D2/962[58] **Field of Search** D2/311, 314, 317;
D30/147-150; 36/59 A, 67 D, 67 R-67 B, 134[56] **References Cited****U.S. PATENT DOCUMENTS**D. 257,908 1/1981 Inohara D2/317
D. 288,262 2/1987 Yokoishi D2/317
908,087 12/1908 Gaitzsch D30/150 X
1,243,209 10/1917 Park 36/134 X2,844,833 7/1958 Odermati 36/59 A
3,537,193 11/1970 Bernier et al. 36/67 A**FOREIGN PATENT DOCUMENTS**688852 8/1987 Japan .
762928 2/1989 Japan .*Primary Examiner*—Louis S. Zarfes*Attorney, Agent, or Firm*—Nixon & Vanderhye[57] **CLAIM**The ornamental design for a spike for a shoe, as shown
and described.**DESCRIPTION**FIG. 1 is an illustrative view in a position of use. The
broken line showing of the shoe in FIG. 1 is for illustra-
tive purposes only and forms no part of the claimed
design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a right side elevational view thereof; and,

FIG. 8 is a perspective view thereof.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

