



US00D341705S

United States Patent [19]

[11] Patent Number: **Des. 341,705**

Saito et al.

[45] Date of Patent: **** Nov. 30, 1993**

[54] **SPIKE**

3,218,734 11/1965 O'Brien 36/134 X
3,537,193 11/1970 Bernier et al. 36/67 A

[75] Inventors: **Kiyohiro Saito; Masanobu Inohara,**
both of Akashi; **Akira Kataoka,**
Kobe, all of Japan

Primary Examiner—Louis S. Zarfes
Attorney, Agent, or Firm—Nixon & Vanderhye

[73] Assignee: **ASICS Corporation, Hyogo, Japan**

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a spike, as shown and described.

[21] Appl. No.: **905,867**

DESCRIPTION

[22] Filed: **Jun. 30, 1992**

FIG. 1 is a perspective view of a spike showing our new design in a position of use;

[30] **Foreign Application Priority Data**

May 11, 1992 [JP] Japan 4-13727

FIG. 2 is a cross-section thereof;

[52] U.S. Cl. **D2/962**

FIG. 3 is a front elevational view thereof;

[58] Field of Search D2/311, 314, 317;
D30/147-150; 36/59 A, 67 D, 67 R, 67 B-134

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a cross-sectional view taken along with line

FIG. 9 is a perspective view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 28,853 6/1898 Gilbride D2/314 X
D. 136,208 8/1943 Ghez et al. 36/67 A
2,179,942 11/1939 Lyne 36/134 X

A—A in FIG. 3; and,

The broken line showing of a shoe in FIGS. 1 and 2 is for illustrative purpose only and forms no part of the claimed design.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9

