



US00D341709S

United States Patent [19]

[11] Patent Number: **Des. 341,709**

Hatfield et al.

[45] Date of Patent: **** Nov. 30, 1993**

[54] **SHOE CUPSOLE**

[75] Inventors: **Tinker L. Hatfield; William J. Worthington**, both of Portland; **Calvin M. Buck, IV**, Beaverton, all of Oreg.

[73] Assignee: **Nike, Inc.**, Beaverton, Oreg.

[**] Term: **14 Years**

[21] Appl. No.: **2,422**

[22] Filed: **Dec. 11, 1992**

[52] U.S. Cl. **D2/953**

[58] Field of Search **D2/264, 265, 274, 311, D2/317-323; 36/25 R, 28, 29, 30 R:32 R, 43, 44, 59 R, 59 C, 83, 84, 89, 100-107, 112-114, 132, 136**

Nike Footwear Catalog, Spring 1992, pp. 12 and 46, published May 1991.

Nike Footwear Catalog, Spring 1991, pp. 30 and 138, published Jun. 1990.

Nike Footwear Catalog, Fall 1990, pp. 4, 22 and 30, published Dec. 1989.

Nike Footwear Catalog, Spring 1990, pp. 4 and 32, published Jun. 1989.

Nike Footwear Catalog, Fall 1989, p. 50, published Dec. 1988.

Primary Examiner—Louis S. Zarfes

Attorney, Agent, or Firm—Banner, Birch, McKie & Beckett

[57] CLAIM

The ornamental design for a shoe cupsole, as shown and described.

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|-----------------|-------|----------|
| D. 123,898 | 12/1940 | Tousley | | D2/320 |
| D. 216,246 | 12/1969 | Mistarz | | D2/320 |
| D. 287,784 | 1/1987 | Tong et al. | | D2/320 |
| D. 296,150 | 6/1988 | Diaz | . | |
| D. 296,152 | 6/1988 | Selbiger | . | |
| D. 297,885 | 10/1988 | Tong | . | |
| D. 307,212 | 4/1990 | Aveni | . | |
| D. 312,917 | 12/1990 | Hatfield | . | |
| D. 312,918 | 12/1990 | Aveni | . | |
| D. 316,324 | 4/1991 | Rogers | . | |
| D. 316,626 | 5/1991 | Hatfield | . | |
| D. 317,826 | 7/1991 | Austin | | D2/320 |
| D. 321,776 | 11/1991 | Hatfield | | D2/314 |
| D. 322,506 | 12/1991 | Rogers | | D2/314 |
| D. 323,423 | 1/1992 | Rogers | | D2/320 |
| D. 323,735 | 2/1992 | Aveni | | D2/319 X |
| D. 329,535 | 9/1992 | Greene | | D2/320 |
| D. 329,739 | 9/1992 | Hatfield | | D2/318 |
| D. 329,938 | 10/1992 | Lucas | | D2/318 |
| D. 329,941 | 10/1992 | Hatfield | | D2/320 |
| D. 333,555 | 3/1993 | Hatfield et al. | | D2/320 |
| D. 333,909 | 3/1993 | Hatfield | | D2/320 |
| 4,439,936 | 4/1984 | Clarke et al. | | 36/102 |

OTHER PUBLICATIONS

Nike Footwear Catalog, Fall 1992, p. 90, published Dec. 1991.

DESCRIPTION

FIG. 1 is a side elevational view of one side of a shoe cupsole showing our new design;

FIG. 2 is a side elevational view of the other side of the shoe cupsole shown in FIG. 1;

FIG. 3 is a front elevational view of the shoe cupsole shown in FIG. 1;

FIG. 4 is a rear elevational view of the shoe cupsole shown in FIG. 1;

FIG. 5 is a bottom plan view of the shoe cupsole shown in FIG. 1;

FIG. 6 is a partial cross section taken along line 6—6 of FIG. 5;

FIG. 7 is a partial cross section taken along line 7—7 of FIG. 5;

FIG. 8 is a partial cross section taken along line 8—8 of FIG. 5;

FIG. 9 is a partial cross section taken along line 9—9 of FIG. 5;

FIG. 10 is a partial cross section taken along line 10—10 of FIG. 1;

FIG. 11 is a partial cross section taken along line 11—11 of FIG. 1;

FIG. 12 is a partial cross section taken along line 12—12 of FIG. 1;

FIG. 13 is a partial cross section taken along line 13—13 of FIG. 1;





FIG. 14 is a partial cross section taken along line 14—14 of FIG. 1;

FIG. 15 is a partial cross section taken along line 15—15 of FIG. 2;

FIG. 16 is a partial cross section taken along line 16—16 of FIG. 2; and,
FIG. 17 is a partial cross section taken along line 17—17 of FIG. 2.

The broken line showing of a shoe upper in FIGS. 1-4 is for illustrative purposes and forms no part of the claimed design.

FIG. 1






FIG. 2

FIG. 4





FIG. 3






FIG. 5

FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17

