



US00D341788S

United States Patent [19]

[11] Patent Number: Des. 341,788

Caryl et al.

[45] Date of Patent: ** Nov. 30, 1993

[54] WALL-MOUNTED PASSIVE INFRA-RED PRESENCE DETECTOR

[75] Inventors: James A. Caryl, Camillus; Eric C. Johnson, Syracuse, both of N.Y.

[73] Assignee: Pass & Seymour, Inc., Syracuse, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 943,205

[22] Filed: Sep. 10, 1992

[52] U.S. Cl. D10/106

[58] Field of Search D10/104, 106, 121; 340/521, 540, 541, 543, 544, 545, 546, 555, 556, 557, 565, 571, 572

[56] References Cited

U.S. PATENT DOCUMENTS

D. 254,197	2/1980	Ewald	D10/106
D. 327,657	7/1992	Marcou et al.	D10/106
D. 335,467	5/1993	Cheng	D10/106


Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Charles S. McGuire

[57] CLAIM

The ornamental design for wall-mounted passive infra-red presence detector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wall-mounted passive infra-red presence detector showing our new design, with the broken line showing for illustrative purposes only and forming no part of the claimed design; FIG. 2 is a front elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof. Portions which are not visible when the detector is mounted in its working position on the wall of a room, including all rearwardly-facing portions, form no part of the ornamental design of the invention and are therefore not shown.






FIG. 1



FIG. 5




FIG. 6




FIG. 3




FIG. 2




FIG. 4