



US00D341810S

**United States Patent** [19]

[11] **Patent Number: Des. 341,810**

**Cordia**

[45] **Date of Patent: \*\* Nov. 30, 1993**

[54] **THREE POINT TOW BAR HITCH**

[76] **Inventor:** Clifford H. Cordia, Rte. 3, Box 397,  
DeSoto, Mo. 63020

[\*\*] **Term:** 14 Years

[21] **Appl. No.:** 902,060

[22] **Filed:** Jun. 19, 1992

[52] **U.S. Cl. .... D12/162**

[58] **Field of Search .... D12/162; 280/509, 510,  
280/511, 504, 506, 508, 482, 500, 446.1, 415.1,  
416.1**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|            |        |           |       |         |
|------------|--------|-----------|-------|---------|
| D. 243,759 | 3/1977 | Ultzinger | ..... | D12/162 |
| 4,204,707  | 5/1980 | Oltrogge  | ..... | 280/500 |
| 5,088,753  | 2/1992 | Granata   | ..... | 280/511 |

*Primary Examiner*—Wallace R. Burke

*Assistant Examiner*—Melody Brown

*Attorney, Agent, or Firm*—Paul M. Denk

[57] **CLAIM**

The ornamental design for a three point tow bar hitch,  
as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a three point tow bar hitch showing my new design, it being understood that the broken lines are for illustrative purposes only and form no part of the claimed design;


FIG. 2 is a front view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view, the right side view being a mirror image thereof; and,

FIG. 6 is a bottom view of the invention.






FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.