



US00D341938S

United States Patent [19]

Saito et al.

[11] Patent Number: **Des. 341,938**

[45] Date of Patent: **** Dec. 7, 1993**

- [54] **SPIKE**
- [75] Inventors: **Kiyohiro Saito; Masanobu Inohara,**
both of Akashi; **Akira Kataoka,**
Kobe, all of Japan
- [73] Assignee: **Asics Corporation,** Hyogo, Japan
- [**] Term: **14 Years**
- [21] Appl. No.: **906,317**
- [22] Filed: **Jun. 30, 1992**
- [30] **Foreign Application Priority Data**
May 11, 1992 [JP] Japan 4-13728
- [52] U.S. Cl. **D2/962**
- [58] Field of Search D2/311, 314, 317;
36/59 A, 67 D, 67 R, 67 B, 134; D30/147-150

- [56] **References Cited**
U.S. PATENT DOCUMENTS
D. 28,853 6/1898 Gilbride D2/314 X
D. 136,208 8/1943 Ghez et al. 36/67 A
2,179,942 11/1939 Lyne 36/134 X
3,218,734 11/1965 O'Brien 36/134 X

3,537,193 11/1970 Bernier et al. 36/67 A
3,859,739 1/1975 Dassler 36/67 D

Primary Examiner—Louis S. Zarfes
Attorney, Agent, or Firm—Nixon & Vanderhye

[57] CLAIM

The ornamental design for a spike, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a spike showing our new design in a position of use;
FIG. 2 is a cross-section thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a cross-sectional view taken along with line A—A in FIG. 3; and,
FIG. 9 is a perspective view thereof.
The broken line showing of a shoe in FIGS. 1 and 2 is for illustrative purposes only and forms no part of the claimed design.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9

