



US00D342214S

United States Patent [19]

[11] Patent Number: **Des. 342,214**

Tsukada et al.

[45] Date of Patent: **** Dec. 14, 1993**

[54] **TIMEPIECE DIAL**

D. 309,864 8/1990 Woomer D10/32 X
D. 329,613 9/1992 Yano D10/39

[75] Inventors: **Hatsue Tsukada**, Tokyo, Japan;
Yoshito Uzawa, Cresskill, N.J.

OTHER PUBLICATIONS

[73] Assignees: **Seiko Instruments Inc.**; **Seiko Epson Corporation**, Japan

Jeweler's Circular-Keystone, 1986, p. 202 see watch top center.

[**] Term: **14 Years**

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Martha Thompson
Attorney, Agent, or Firm—Pruce L. Adams; Van C. Wilks

[21] Appl. No.: **683,022**

[22] Filed: **Apr. 9, 1991**

[57] CLAIM

[52] U.S. Cl. **D10/125; D10/128**

The ornamental design for a timepiece dial, as shown and described.

[58] Field of Search **D10/30-39, D10/122-126, 128, 129; 368/276-278, 280, 14 282, 285, 318, 322-323, 228**

DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 79,292 8/1929 Gruen D10/30 X
D. 83,533 3/1931 Gruen D10/125
D. 93,390 9/1934 Graef D10/39
D. 302,133 7/1989 Woomer D10/32 X

FIG. 1 is a front elevational view of a timepiece dial showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof; and,
FIG. 6 is a right side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3



FIG. 5



FIG. 6



FIG. 4

