



US00D342302S

# United States Patent [19]

[11] Patent Number: **Des. 342,302**

**Hanna**

[45] Date of Patent: **\*\* Dec. 14, 1993**

[54] **BULLET TRAP**

4,118,807 10/1978 McCauley ..... 43/55  
4,226,335 10/1980 Sowards ..... 43/55  
4,470,604 9/1984 Hoffman ..... 273/404

[76] Inventor: **Bernard M. Hanna**, 533 French St.,  
Peshtigo, Wis. 54157

### FOREIGN PATENT DOCUMENTS

[\*\*] Term: **14 Years**

0545333 8/1957 Canada ..... D22/136

[21] Appl. No.: **731,955**

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Cathy Anne MacCormac  
*Attorney, Agent, or Firm*—S. Michael Bender

[22] Filed: **Jul. 18, 1991**

[52] U.S. Cl. .... **D22/113; D22/199**

[58] Field of Search ..... **D22/122, 136, 199, 113;**  
**43/54.1, 55-56, 122; 224/920; 273/394-395,**  
**404, 407, 408, 410**

### [57] CLAIM

The ornamental design for a bullet trap, as shown and described.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 287,530 12/1986 Magnuson ..... D22/113  
2,553,232 5/1951 Beyer ..... 43/55  
3,045,383 7/1962 Pugliese ..... 43/55  
3,088,738 5/1963 Meyer ..... 273/404  
3,122,367 7/1964 Dale ..... 273/394  
3,495,829 2/1970 Booth ..... 273/404  
3,790,174 2/1974 Skillern ..... 273/394

### DESCRIPTION

FIG. 1 is a front elevational view of the bullet trap showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a top plan view thereof; and,  
FIG. 6 is a bottom plan view thereof.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

