



US00D342433S

# United States Patent [19]

[11] Patent Number: Des. 342,433

Sorenson

[45] Date of Patent: \*\* Dec. 21, 1993

[54] HANDLE FOR A HEX KEY WRENCH SET

[75] Inventor: Joseph A. Sorenson, Lincoln, Nebr.

[73] Assignee: Petersen Manufacturing Co., Inc.,  
DeWitt, Nebr.

[\*\*] Term: 14 Years

[21] Appl. No.: 731,015

[22] Filed: Jul. 16, 1991

[52] U.S. Cl. .... D8/107

[58] Field of Search ..... D8/21, 29, 107; 81/436,  
81/440; 7/168, 170, 118

## OTHER PUBLICATIONS

Proto Tools Catalog, Dec. 1975, p. 126, 11A14, Hex Key Wrench Sets.

*Primary Examiner*—Melvin B. Feifer

*Assistant Examiner*—Philip Hyder

*Attorney, Agent, or Firm*—Lackebach Siegel Marzullo  
Aronson & Greenspan

## [57] CLAIM

The ornamental design for a handle for a hex key wrench set, as shown.

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 148,422	1/1948	Kane	.....	D8/26
D. 156,677	12/1949	Smith	.....	D8/21
D. 168,900	2/1953	Lutsker	.....	D8/29
2,473,758	6/1949	Maitlen	.....	7/168
2,715,028	8/1955	Dossie	.....	81/436
3,943,801	3/1976	Yates	.....	D8/29
4,010,663	3/1977	Rydberg	.....	81/40

## DESCRIPTION

FIG. 1 is a perspective view of a handle for a hex wrench set showing my new design; FIG. 2 is a bottom plan view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a front elevational view thereof; and, FIG. 7 is a rear elevational view thereof.




FIG. 1





FIG. 4




FIG. 5




FIG. 2




FIG. 3




FIG. 6




FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 342,433  
DATED : December 21, 1993  
INVENTOR(S) : Joseph A. Sorensen

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, under item [19] and item [75], delete "Sorenson" and substitute --Sorensen--.

In the "DESCRIPTION" of FIG. 1, after "hex" insert --key--.

Signed and Sealed this  
Nineteenth Day of March, 1996

Attest:



BRUCE LEHMAN

Attesting Officer

Commissioner of Patents and Trademarks