



US00D342580S

United States Patent [19] Harrison

[11] Patent Number: **Des. 342,580**
[45] Date of Patent: **** Dec. 21, 1993**

- [54] **RETAINING WALL BLOCK**
- [75] Inventor: **Cloyce D. Harrison, Albuquerque, N. Mex.**
- [73] Assignee: **CSTW, Inc., Albuquerque, N. Mex.**
- [*] Notice: **The portion of the term of this patent subsequent to Nov. 2, 2007 has been disclaimed.**
- [**] Term: **14 Years**
- [21] Appl. No.: **937,042**
- [22] Filed: **Aug. 27, 1992**
- [52] U.S. Cl. **D25/118**
- [58] Field of Search **D25/114-118; 52/590-596, 605, 608, 602, 610; 405/284**

2,624,193	1/1953	Larson	D25/118
4,335,549	6/1982	Dean, Jr.	52/98
4,854,103	8/1989	Klym	52/593
4,914,876	4/1990	Forsberg	52/169.4
4,920,712	5/1990	Dean, Jr.	52/169.4

FOREIGN PATENT DOCUMENTS

1169265 6/1984 Canada .

Primary Examiner—A. Hugo Word
Assistant Examiner—Doris Clark
Attorney, Agent, or Firm—Dennis F. Armijo; Deborah A. Peacock

[57] CLAIM

The ornamental design for a retaining wall block, as shown and described.


[56] References Cited

U.S. PATENT DOCUMENTS

D. 276,081	10/1984	Rassias et al.	D25/114
D. 295,788	5/1988	Forsberg	D25/113
D. 295,790	5/1988	Forsberg	D25/116
D. 296,007	5/1988	Forsberg	D25/116
D. 296,365	6/1988	Forsberg	D25/116
D. 297,464	8/1988	Forsberg	D25/114
D. 297,574	9/1988	Forsberg	D25/114
D. 297,767	9/1988	Forsberg	D25/58
D. 298,463	11/1988	Forsberg	D25/114
D. 299,067	12/1988	Forsberg	D25/58
D. 300,253	3/1989	Forsberg	D25/114
D. 300,254	3/1989	Forsberg	D25/114
D. 301,064	5/1989	Forsberg	D25/116
D. 311,444	10/1990	Forsberg	D25/113
2,140,773	12/1938	Slayter et al.	52/596
2,610,503	9/1952	Hall	D25/118

DESCRIPTION

FIG. 1 is a left side perspective view of a first embodiment of the retaining wall block of my new design; FIG. 2 is a top view thereof; FIG. 3 is a side view of the left side thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a side view of the right side thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is a left side perspective view of a second embodiment of the retaining wall block of my new design; FIG. 9 is a top view of the embodiment of FIG. 8; FIG. 10 is a side view of the left side of FIG. 8; FIG. 11 is a front elevational view of FIG. 8; FIG. 12 is a side view of the right side of FIG. 8; FIG. 13 is a rear elevational view of FIG. 8; and, FIG. 14 is a bottom view of FIG. 8.






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6




FIG-7




FIG-8




FIG-9




FIG-10




FIG-11




FIG-12




FIG-13




FIG-14