



US00D342580S

United States Patent [19] Harrison

[11] Patent Number: Des. 342,580
[45] Date of Patent: ** Dec. 21, 1993

[54] **RETAINING WALL BLOCK**
[75] Inventor: **Cloyce D. Harrison**, Albuquerque, N. Mex.
[73] Assignee: **CSTW, Inc.**, Albuquerque, N. Mex.
[*] Notice: The portion of the term of this patent subsequent to Nov. 2, 2007 has been disclaimed.
[**] Term: **14 Years**
[21] Appl. No.: **937,042**
[22] Filed: **Aug. 27, 1992**
[52] U.S. Cl. **D25/118**
[58] Field of Search **D25/114-118; 52/590-596, 605, 608, 602, 610; 405/284**

2,624,193 1/1953 Larson D25/118
4,335,549 6/1982 Dean, Jr. 52/98
4,854,103 8/1989 Klym 52/593
4,914,876 4/1990 Forsberg 52/169.4
4,920,712 5/1990 Dean, Jr. 52/169.4

FOREIGN PATENT DOCUMENTS

1169265 6/1984 Canada .

Primary Examiner—A. Hugo Word
Assistant Examiner—Doris Clark
Attorney, Agent, or Firm—Dennis F. Armijo; Deborah A. Peacock

[57] CLAIM

The ornamental design for a retaining wall block, as shown and described.


[56] References Cited

U.S. PATENT DOCUMENTS

D. 276,081 10/1984 Rassias et al. D25/114
D. 295,788 5/1988 Forsberg D25/113
D. 295,790 5/1988 Forsberg D25/116
D. 296,007 5/1988 Forsberg D25/116
D. 296,365 6/1988 Forsberg D25/116
D. 297,464 8/1988 Forsberg D25/114
D. 297,574 9/1988 Forsberg D25/114
D. 297,767 9/1988 Forsberg D25/58
D. 298,463 11/1988 Forsberg D25/114
D. 299,067 12/1988 Forsberg D25/58
D. 300,253 3/1989 Forsberg D25/114
D. 300,254 3/1989 Forsberg D25/114
D. 301,064 5/1989 Forsberg D25/116
D. 311,444 10/1990 Forsberg D25/113
2,140,773 12/1938 Slayter et al. 52/596
2,610,503 9/1952 Hall D25/118

DESCRIPTION

FIG. 1 is a left side perspective view of a first embodiment of the retaining wall block of my new design; FIG. 2 is a top view thereof; FIG. 3 is a side view of the left side thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a side view of the right side thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is a left side perspective view of a second embodiment of the retaining wall block of my new design; FIG. 9 is a top view of the embodiment of FIG. 8; FIG. 10 is a side view of the left side of FIG. 8; FIG. 11 is a front elevational view of FIG. 8; FIG. 12 is a side view of the right side of FIG. 8; FIG. 13 is a rear elevational view of FIG. 8; and, FIG. 14 is a bottom view of FIG. 8.






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6




FIG-7




FIG-8




FIG-9




FIG-10




FIG-11




FIG-12




FIG-13




FIG-14