



US00D342614S

United States Patent [19] Collins

[11] Patent Number: Des. 342,614

[45] Date of Patent: ** Dec. 28, 1993

[54] CHILD SAFETY SEAT

[76] Inventor: John E. Collins, P.O. Box 294,
Pineville, Ky. 40977

[**] Term: 14 Years

[21] Appl. No.: 881,556

[22] Filed: May 14, 1992

[52] U.S. Cl. D6/333

[58] Field of Search D6/333, 334; 297/216,
297/253, 254, 467, 487, 488; D12/129

[56] References Cited

U.S. PATENT DOCUMENTS

D. 265,780	8/1982	Johansson		D6/333
D. 278,766	5/1985	Krume		D6/333
D. 286,470	11/1986	Takada	.	
D. 303,046	8/1989	Miller	.	
D. 308,656	6/1990	Takahashi et al.		D12/129
D. 319,543	9/1991	Takahashi et al.	.	
4,186,962	2/1980	Meeker		297/216 X

4,500,133 2/1985 Nakao et al. 297/216 X

4,718,722 1/1988 Kassai 297/216 X

4,770,468 9/1988 Shobin 297/467 X

Primary Examiner—Nelson C. Holtje

Assistant Examiner—J. E. Seeger

Attorney, Agent, or Firm—Terry M. Gernstein

[57] CLAIM

The ornamental design for a child safety seat, as shown
and described.

DESCRIPTION

FIG. 1 is a rear, side and top perspective view of the
child safety seat embodying the design of the present
invention;


FIG. 2 is a rear elevational view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a side elevational view thereof, the side oppo-
site being a mirror image of the side shown in FIG. 4;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6