



US00D342684S

United States Patent [19]

[11] Patent Number: **Des. 342,684**

Halo

[45] Date of Patent: **** Dec. 28, 1993**

[54] **JEWELRY GAUGES**

[76] Inventor: **Steve Halo**, 10 Mulberry La., Edison, N.J. 08830

[**] Term: **14 Years**

[21] Appl. No.: **843,636**

[22] Filed: **Feb. 28, 1992**

[52] U.S. Cl. **D10/64**

[58] Field of Search D10/62, 64, 65; 81/7; 30/358; 123/30.1, 35, 36; 33/501.09, 501.45, 563, 544.4, 542, 555.2

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 162,848	4/1951	Lehrfeld	33/555.2	X
D. 243,389	2/1977	Lyon	D10/64	
628,310	7/1899	Goldner	33/555.2	X
1,881,651	10/1932	Judge	D10/64	X

OTHER PUBLICATIONS

Gesswein, Baker Diamond & Stone Gauges.
Swest Inc; Stone & Mounting Gauge; p. 29.
Vizor, Tools Supplies Equipment Cat., pp. 79 and 103.
Tools 1991; Various Stone & Diamond Gauges; 1991 p. 66.

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Mark P. Stone

[57] **CLAIM**

The ornamental designs for jewelry gauges, as shown and described.

DESCRIPTION


FIG. 1 is a top plan view of a first embodiment of a jewelry gauge showing my new design; the opposite side being a mirror image; the jewelry gauge being substantially flat and planar and having a thickness in the order of 1/16";

FIG. 2 is a top plan view of a second embodiment of a jewelry gauge showing my new design; the opposite side being a mirror image; the jewelry gauge being substantially flat and planar and having a thickness in the order of 1/16";

FIG. 3 is a top plan view of a third embodiment of a jewelry gauge showing my new design; the opposite side being a mirror image; the jewelry gauge being substantially flat and planar and having a thickness in the order of 1/16";

FIG. 4 is a top plan view of a fourth embodiment of a jewelry gauge showing my new design; the opposite side being a mirror image; the jewelry gauge being substantially flat and planar and having a thickness in the order of 1/16"; and,

FIG. 5 is a top plan view of a fifth embodiment of a jewelry gauge showing my new design; the opposite side being a mirror image; the jewelry gauge being substantially flat and planar and having a thickness in the order of 1/16".






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5