



US00D342684S

United States Patent [19] Halo

[11] Patent Number: Des. 342,684
[45] Date of Patent: ** Dec. 28, 1993

[54] JEWELRY GAUGES

[76] Inventor: Steve Halo, 10 Mulberry La., Edison, N.J. 08830

[**] Term: 14 Years

[21] Appl. No.: 843,636

[22] Filed: Feb. 28, 1992

[52] U.S. Cl. D10/64

[58] Field of Search D10/62, 64, 65; 81/7; 30/358; 123/30.1, 35, 36; 33/501.09, 501.45, 563, 544.4, 542, 555.2

[56] References Cited

U.S. PATENT DOCUMENTS

D. 162,848 4/1951 Lehrfeld 33/555.2 X
D. 243,389 2/1977 Lyon D10/64
628,310 7/1899 Goldner 33/555.2 X
1,881,651 10/1932 Judge D10/64 X

OTHER PUBLICATIONS

Gesswein, Baker Diamond & Stone Gauges.
Swest Inc; Stone & Mounting Gauge; p. 29.
Vizor, Tools Supplies Equipment Cat., pp. 79 and 103.
Tools 1991; Various Stone & Diamond Gauges; 1991 p. 66.

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Mark P. Stone

[57] CLAIM

The ornamental designs for jewelry gauges, as shown and described.

DESCRIPTION


FIG. 1 is a top plan view of a first embodiment of a jewelry gauge showing my new design; the opposite side being a mirror image; the jewelry gauge being substantially flat and planar and having a thickness in the order of 1/16";

FIG. 2 is a top plan view of a second embodiment of a jewelry gauge showing my new design; the opposite side being a mirror image; the jewelry gauge being substantially flat and planar and having a thickness in the order of 1/16";

FIG. 3 is a top plan view of a third embodiment of a jewelry gauge showing my new design; the opposite side being a mirror image; the jewelry gauge being substantially flat and planar and having a thickness in the order of 1/16";

FIG. 4 is a top plan view of a fourth embodiment of a jewelry gauge showing my new design; the opposite side being a mirror image; the jewelry gauge being substantially flat and planar and having a thickness in the order of 1/16"; and,

FIG. 5 is a top plan view of a fifth embodiment of a jewelry gauge showing my new design; the opposite side being a mirror image; the jewelry gauge being substantially flat and planar and having a thickness in the order of 1/16".






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5