



US00D342893S

# United States Patent [19]

[11] Patent Number: Des. 342,893

Westbrooks, Jr. et al.

[45] Date of Patent: \*\* Jan. 4, 1994

[54] COVERED TRAY WITH RECESSES

[75] Inventors: John W. Westbrooks, Jr., Christiana; Sara C. Hurt, Nashville, both of Tenn.

[73] Assignee: Standex International Corporation, Murfreesboro, Tenn.

[\*\*] Term: 14 Years

[21] Appl. No.: 840,461

[22] Filed: Feb. 24, 1992

[52] U.S. Cl. .... D9/341

[58] Field of Search ..... D9/341, 339, 347, 415, D9/425, 432, 456, 418; D7/602, 626, 629, 616, 549, 550, 553, 555; 206/45.13, 45.19, 541, 547, 557, 562, 564, 817, 806; 220/559, 556, 555, DIG. 10, 220/575, 4.24, 4.22

[56] References Cited

U.S. PATENT DOCUMENTS

|            |         |                |       |           |
|------------|---------|----------------|-------|-----------|
| D. 280,059 | 8/1985  | Otto           | ..... | D9/347 X  |
| D. 320,909 | 10/1991 | Szablak et al. | ..... | D9/341 X  |
| D. 324,651 | 3/1992  | Kaneko         | ..... | D9/418    |
| 3,850,333  | 11/1974 | Reichert       | ..... | 220/556   |
| 3,938,688  | 2/1976  | Ryan           | ..... | 206/541 X |
| 4,440,303  | 4/1984  | Seager         | ..... | 220/556 X |
| 4,545,487  | 10/1985 | Asmus          | ..... | D9/341 X  |

FOREIGN PATENT DOCUMENTS

9014281 11/1990 World Int. Prop. O. .... 220/556



Primary Examiner—Prabhakar G. Deshmukh  
Attorney, Agent, or Firm—Luedeka, Hodges, Neely & Graham, P.C.

[57] CLAIM

The ornamental design for a covered tray with recesses, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a covered tray with recesses showing our new design;  
 FIG. 2 is an exploded perspective view thereof;  
 FIG. 3 is a top plan view of FIG. 1;  
 FIG. 4 is a bottom plan view of FIG. 1;  
 FIG. 5 is a front elevational view of FIG. 1;  
 FIG. 6 is a rear elevational view of FIG. 1;  
 FIG. 7 is a left side elevational view of FIG. 1;  
 FIG. 8 is a right side elevational view of FIG. 1;  
 FIG. 9 is a top plan view of a cover: shown separately for clarity of illustration;  
 FIG. 10 is bottom plan view of FIG. 9;  
 FIG. 11 is a front elevational view of FIG. 9;  
 FIG. 12 is a rear elevational view of FIG. 9;  
 FIG. 13 is a left side elevational view of FIG. 9;  
 FIG. 14 is a right side elevational view of FIG. 9;  
 FIG. 15 is a top plan view of a tray: shown separately for clarity of illustration;  
 FIG. 16 is a bottom plan view of FIG. 15;  
 FIG. 17 is a front elevational view of FIG. 15;  
 FIG. 18 is a rear elevational view of FIG. 15;  
 FIG. 19 is a left side elevational view of FIG. 15; and,  
 FIG. 20 is a right side elevational view of FIG. 15.






Fig. 1








Fig. 2




**Fig. 3**




**Fig. 4**




**Fig. 5**




**Fig. 6**




**Fig. 7**




**Fig. 8**




**Fig. 9**




**Fig. 10**




**Fig. 11**




**Fig. 12**




**Fig. 13**




**Fig. 14**




**Fig. 15**



**Fig. 16**



**Fig. 17**



**Fig. 18**



**Fig. 19**



**Fig. 20**