



US00D342912S

United States Patent [19]

[11] Patent Number: **Des. 342,912**

Richey

[45] Date of Patent: **** Jan. 4, 1994**

[54] BRAKE WARNING INDICATOR

[76] Inventor: **Michael Richey**, Star Rte. 2 Box
588F, Tonopah, Ariz. 85354

[**] Term: **14 Years**

[21] Appl. No.: **778,641**

[22] Filed: **Oct. 18, 1991**

[52] U.S. Cl. **D10/104**

[58] Field of Search 340/262, 71, 66, 451,
340/452, 453, 454; D10/104, 106, 121

4,757,300 7/1988 Sebalos 340/454
4,800,991 1/1989 Miller 340/454
4,890,091 12/1989 Gage .

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Terry M. Gernstein

[57] CLAIM

The ornamental design for a brake warning indicator, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a brake warning indicator showing my new design, with the rod and wires broken away to indicate indeterminate length; FIG. 2 is a front end elevational view thereof; FIG. 3 is a rear end elevational view thereof; FIG. 4 is a side elevational view thereof; FIG. 5 is a side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 261,629 11/1981 Doheny D10/106
D. 261,630 11/1981 Zuwe D10/121
D. 275,842 10/1984 Gilbert et al. D10/106
3,559,164 1/1971 Bancroft .
3,912,892 10/1975 Morehouse .
4,009,465 2/1977 Rigatt 340/454
4,730,181 3/1988 Perkins .






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6