



US00D342912S

# United States Patent [19]

[11] Patent Number: **Des. 342,912**

Richey

[45] Date of Patent: **\*\* Jan. 4, 1994**

[54] BRAKE WARNING INDICATOR

[76] Inventor: **Michael Richey**, Star Rte. 2 Box  
588F, Tonopah, Ariz. 85354

[\*\*] Term: **14 Years**

[21] Appl. No.: **778,641**

[22] Filed: **Oct. 18, 1991**

[52] U.S. Cl. .... **D10/104**

[58] Field of Search ..... 340/262, 71, 66, 451,  
340/452, 453, 454; D10/104, 106, 121

4,757,300 7/1988 Sebalos ..... 340/454  
4,800,991 1/1989 Miller ..... 340/454  
4,890,091 12/1989 Gage .

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Marcus Jackson  
*Attorney, Agent, or Firm*—Terry M. Gernstein

### [57] CLAIM

The ornamental design for a brake warning indicator, as shown and described.


### DESCRIPTION


FIG. 1 is a perspective view of a brake warning indicator showing my new design, with the rod and wires broken away to indicate indeterminate length; FIG. 2 is a front end elevational view thereof; FIG. 3 is a rear end elevational view thereof; FIG. 4 is a side elevational view thereof; FIG. 5 is a side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom view thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 261,629	11/1981	Doheny	.....	D10/106
D. 261,630	11/1981	Zuwe	.....	D10/121
D. 275,842	10/1984	Gilbert et al.	.....	D10/106
3,559,164	1/1971	Bancroft	.	
3,912,892	10/1975	Morehouse	.	
4,009,465	2/1977	Rigatt	.....	340/454
4,730,181	3/1988	Perkins	.	








FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6