



US00D343130S

United States Patent [19]

[11] Patent Number: Des. 343,130

Gambill et al.

[45] Date of Patent: ** Jan. 11, 1994

[54] TEMPERATURE SENSOR

[76] Inventors: Terry A. Gambill, 2169 Evergreen, North Perry, Ohio 44081; Roger B. Fell, 183 Willowbend Dr., Madison, Ohio 44057; Thomas K. Kaufman, 5688 Lockwood, Madison, Ohio 44057

[**] Term: 14 Years

[21] Appl. No.: 710,303

[22] Filed: Jun. 4, 1991

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 554,011, Jul. 3, 1990, abandoned.

[52] U.S. Cl. D10/52

[58] Field of Search 374/29, 141, 147, 148, 374/150, 154, 170, 208-210; D10/49, 50, 51, 57, 60

[56] References Cited

U.S. PATENT DOCUMENTS

D. 242,605	12/1976	Van Kersen	D10/57
3,059,474	10/1962	Keller et al.	D10/57 X
4,541,728	10/1985	Hauser et al.	374/29
4,588,307	4/1986	Palti	374/170

FOREIGN PATENT DOCUMENTS

3126931 8/1981 Fed. Rep. of Germany .

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Oldham, Oldham & Wilson Co.

[57] CLAIM

The ornamental design for a temperature sensor, as shown and described.

DESCRIPTION

FIG. 1 is a top view illustrating a first embodiment of a new design for a temperature sensor;

FIG. 2 is a side view thereof, the opposite side view being substantially similar while the top plan view is identical to that shown in FIG. 1;

FIG. 3 is a side view of a second embodiment of a new design for a temperature sensor while the top plan view is identical to that shown in FIG. 1;

FIG. 4 is a perspective view illustrating a third embodiment of our new design. The broken line showing of tube or pipe is for illustrative purposes only and forms no part of the claimed design;

FIG. 5 is a top elevational view of the third embodiment of our new design; and

FIG. 6 is a side view of the third embodiment of our new design.





FIG.-1




FIG.-2




FIG.-3




FIG.-4




FIG.-5




FIG.-6