



US00D343170S

United States Patent [19]

Gilpin et al.

[11] Patent Number: Des. 343,170

[45] Date of Patent: ** Jan. 11, 1994

[54] HANDHELD LASER DIODE SCANNER

[75] Inventors: David W. Gilpin, Everett; Darryl L. Carver, Seattle, both of Wash.

[73] Assignee: Intermec Corporation, Everett, Wash.

[**] Term: 14 Years

[21] Appl. No.: 586,709

[22] Filed: Sep. 21, 1990

[52] U.S. Cl. D14/116

[58] Field of Search 235/454, 462, 470-473, 475, 479; 250/208, 203 R, 566, 568, 239; 382/58, 59, 62, 63, 65; 354/80-82; D14/100, 105, 107, 114, 116; D18/36, 12, 22; D26/45, 50

[56] References Cited

U.S. PATENT DOCUMENTS

D. 305,885 2/1990 Barkan et al. D14/116
D. 307,138 4/1990 Knowles D14/116

D. 317,154 5/1991 Allgeier D14/116
D. 320,013 9/1991 Siemiatkowski et al. D14/116
4,652,750 3/1987 Eastman et al. 250/239

Primary Examiner—Wallace R. Burke

Assistant Examiner—Freda S. Nunn



Attorney, Agent, or Firm—Seed and Berry

[57] CLAIM

The ornamental design for a handheld laser diode scanner, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left-side perspective view of a handheld laser diode scanner showing our new design; FIG. 2 is a bottom, rear and right-side perspective view of the handheld laser diode scanner of FIG. 1 shown with a boot over its scanner head; FIG. 3 is a bottom, rear and right-side perspective view of the handheld laser diode scanner of FIG. 1; and, FIG. 4 is a top, front and left-side perspective view of the handheld laser diode scanner of FIG. 1 shown with the boot illustrated in FIG. 2.






Figure 1




Figure 2




Figure 3




Figure 4