



US00D343214S

# United States Patent [19]

[11] Patent Number: Des. 343,214

Easley et al.

[45] Date of Patent: \*\* Jan. 11, 1994

[54] **CROSS COUNTRY SKI EXERCISER**

[75] Inventors: **James B. Easley**, Minneapolis; **Adolf H. Friedebach**, Waconia; **Paul A. Piloni**, Minneapolis, all of Minn.

[73] Assignee: **Fitness Master, Inc.**, Waconia, Minn.

[\*\*] Term: **14 Years**

[21] Appl. No.: **920,838**

[22] Filed: **Jul. 28, 1992**

[52] U.S. Cl. .... **D21/191**

[58] Field of Search ..... **482/70, 71, 72, 73, 482/118, 119; D21/191, 194, 195**

4,826,152	5/1989	Lo .....	482/70
4,867,443	9/1989	Jensen .....	482/70
4,900,013	2/1990	Rodgers, Jr. ....	482/70
4,927,136	5/1990	Leask .	
4,948,121	8/1990	Haaheim et al. ....	482/70
5,064,190	11/1991	Holt .....	482/70
5,108,093	4/1992	Watterson .....	482/70
5,145,481	9/1992	Friedebach .....	482/70

### OTHER PUBLICATIONS

Fitness Master, Inc. advertising brochure, 1991. Ski Exercisers.

*Primary Examiner*—Bernard Ansher

*Assistant Examiner*—Philip Hyder

*Attorney, Agent, or Firm*—Dorsey & Whitney

[56] **References Cited**

#### U.S. PATENT DOCUMENTS

D. 225,342	12/1972	Flick et al. ....	D21/192
D. 225,343	12/1972	Flick et al. ....	D21/192
D. 303,131	8/1989	Lo .....	482/70
D. 315,764	3/1991	Friedebach .....	D21/191
4,023,795	5/1977	Pauls .....	482/70
4,340,214	7/1982	Schutzer .....	482/71
4,434,981	3/1984	Norton .....	482/70
4,529,194	7/1985	Haaheim .....	482/71
4,618,139	10/1986	Haaheim .....	482/71
4,632,385	12/1986	Geraci .....	482/71
4,645,201	2/1987	Evans .....	482/71
4,659,077	4/1987	Stropkay .....	482/71
4,709,918	12/1987	Grinblat .....	482/70
4,804,178	2/1989	Friedebach .....	482/70
4,813,667	3/1989	Watterson .....	482/70

[57] **CLAIM**

The ornamental design for a cross country ski exerciser, as shown.

### DESCRIPTION

FIG. 1 is a front and right side perspective view of a cross country ski exerciser, showing my new design, taken from slightly above the exerciser;


FIG. 2 is a front and left side perspective view thereof, taken from slightly above;

FIG. 3 is a right side, rear and bottom perspective view thereof;


FIG. 4 is a top, front and left side perspective view thereof, shown in a closed condition;

FIG. 5 is a bottom plan view of FIG. 4; and,


FIG. 6 is a rear elevational view of FIG. 4.




**Fig. 1**




**Fig. 2**




**Fig. 3**






**Fig. 4**



**Fig. 5**



**Fig. 6**