



US00D343405S

United States Patent [19]

[11] Patent Number: **Des. 343,405**

Nojima et al.

[45] Date of Patent: **** Jan. 18, 1994**

[54] **35 MM CAMERA**

[75] Inventors: **Akira Nojima, Fussa; Hitoshi Suyama, Yokosuka; Yasuki Nagaoka, Ohmiya, all of Japan**

[73] Assignee: **Nikon Corporation, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **894,784**

[22] Filed: **Jun. 4, 1992**

[30] **Foreign Application Priority Data**

Dec. 11, 1991 [JP] Japan 3-37249

[52] U.S. Cl. **D16/209; D16/218**

[58] Field of Search 354/126, 149.11, 127.11, 354/202, 288; D16/200-205, 208, 209, 216-218

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 313,423	1/1991	Onuma et al.	D16/209
D. 314,002	1/1991	Yoshida	D16/209
D. 317,168	5/1991	Akabane et al.	D16/209
D. 317,772	6/1991	Kobayashi et al.	D16/209
D. 329,863	9/1992	Shull et al.	D16/209

OTHER PUBLICATIONS

Evans Catalog, 1988-1989 p. 3074 (Canon's Sure Shot Multi-Tele Camera, item 4).

Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Shapiro and Shapiro

[57] **CLAIM**

The ornamental design for 35 mm camera, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a 35 mm camera showing our design, with a lens barrel in the normal position;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a right side elevational view thereof; and,
FIG. 8 is a front perspective view thereof, with a lens barrel in the extended position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

