



US00D343480S

United States Patent [19] Levine

[11] Patent Number: **Des. 343,480**

[45] Date of Patent: **** Jan. 18, 1994**

[54] **PROTECTIVE PAD**

4,796,303 1/1989 Atwater 2/24
5,077,837 1/1992 Meistrell 2/16

[76] Inventor: **Norman D. Levine, P.O. Box 1867,
Pompano Beach, Fla. 33061**

Primary Examiner—Ruth McInroy
Attorney, Agent, or Firm—Malin, Haley, DiMaggio &
Crosby

[**] Term: **14 Years**

[21] Appl. No.: **810,808**

[57] **CLAIM**

[22] Filed: **Dec. 19, 1991**

The ornamental design for a protective pad, as shown
and described.

[52] U.S. Cl. **D29/10**

[58] Field of Search 128/846, 876, 878, 881,
128/882; 2/2, 16, 22-24, 415; D29/10, 20, 99;
D24/190-192

DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 255,728	7/1980	Baron	D29/10
D. 259,058	4/1981	Marshall	D24/190
4,250,578	2/1981	Barlow	2/24
4,292,263	9/1981	Hanrahan et al.	2/16
4,599,747	7/1986	Robinson	2/16

FIG. 1 is a front elevational view of a protective pad showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.
The cross hatch shading in FIGS. 1-6 is understood to repeat throughout the indicated area. The broken lines in FIGS. 1 and 3 represent conventional stitching.




FIG. 2




FIG. 1




FIG. 5



FIG. 3




FIG. 4




FIG. 6

