



US00D343508S

United States Patent [19]

[11] Patent Number: Des. 343,508

Jones

[45] Date of Patent: ** Jan. 25, 1994

[54] COMBINED PLEATED BOW TIE AND HAIR BOW

[76] Inventor: Perry Jones, 202 W. Prospect St., Seattle, Wash. 98119

[**] Term: 14 Years

[21] Appl. No.: 852,420

[22] Filed: Mar. 16, 1992

[52] U.S. Cl. D2/606; D28/41

[58] Field of Search D2/600, 605, 606; 2/144, 145, 146, 147, 148, 149, 151, 154, 244, 245; 132/275, 273; D28/41

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 150,851	9/1948	Grinoch .	
D. 166,404	8/1952	Melville .	
D. 258,622	3/1981	Rosso .	
460,259	9/1891	Bartlett .	
1,163,308	12/1915	Bachrach	2/146 X
1,552,240	9/1925	Sokolowski .	
1,692,991	11/1928	Howard	2/151
2,105,436	1/1938	Flatto	132/275
2,369,442	2/1945	Davis .	
2,741,772	11/1956	Wagner	2/146
2,887,687	5/1959	Bergheim .	
3,728,737	4/1973	Gille	2/151
3,777,312	12/1973	Najarian	D2/606 X
4,339,059	7/1982	Kenyon	2/244 X

OTHER PUBLICATIONS

Accessories, Aug. 1986 p. 63 top center.
Haband's Pleated, central item pleated tie.


Primary Examiner—Bernard Ansher
Assistant Examiner—Paula Mortimor
Attorney, Agent, or Firm—Christensen, O'Connor, Johnson & Kindness

[57] **CLAIM**

An ornamental design for a combined pleated bow tie and hair bow, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined pleated bow tie and hair bow showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a side elevational view of one side thereof; FIG. 4 is a side elevational view of the opposite side thereof; FIG. 5 is a top perspective view thereof; FIG. 6 is a bottom perspective view thereof; FIG. 7 is a front elevational view of a second embodiment thereof showing my new design; FIG. 8 is a rear elevational view of the second embodiment thereof; FIG. 9 is a side elevational view of one side of the second embodiment thereof; FIG. 10 is a side elevational view of the opposite side of the second embodiment thereof; FIG. 11 is a top perspective view of the second embodiment thereof; and, FIG. 12 is a bottom perspective view of the second embodiment thereof. The broken lines showing of the attachment structure is for illustrative purposes only and forms no part of the claimed design.






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.

Fig. 12.

