



US00D343570S

# United States Patent [19]

Meier

[11] Patent Number: **Des. 343,570**

[45] Date of Patent: **\*\* Jan. 25, 1994**

[54] **CORD LOCK**

[75] Inventor: **Terrence P. Meier, Naperville, Ill.**

[73] Assignee: **Illinois Tool Works Inc., Glenview, Ill.**

[\*\*] Term: **14 Years**

[21] Appl. No.: **938,644**

[22] Filed: **Sep. 2, 1992**

[52] U.S. Cl. .... **D8/383**

[58] Field of Search ..... **D8/330-331, D8/333, 383, 356, 396; 24/115 R, 115 G, 115 M, 115 H, 115 K, 129 R**

4,453,292 6/1984 Bakker ..... 24/115  
4,506,417 3/1985 Hara ..... 24/115  
4,622,723 11/1986 Krauss ..... 24/115 G

*Primary Examiner*—Brian N. Vinson  
*Attorney, Agent, or Firm*—T. W. Buckman; J. P. O'Brien

## [57] CLAIM

The ornamental design for a cord lock, as shown and described.

## DESCRIPTION

FIG. 1 is a top, front, and left side perspective view of a cord lock showing my new design, the fragmentary broken-line disclosure of a cord being for illustrative purposes only and forming no part of the claimed design;

FIG. 2 is a front elevational view thereof, the opposite side being identical;

FIG. 3 is a left end elevational view the opposite side being identical;



FIG. 4 is top plan view thereof; and,

FIG. 5 is a bottom plan view thereof.

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 251,478	4/1979	Boden	.....	D8/383
D. 251,545	4/1979	Boden	.....	D8/383
D. 299,310	1/1989	Fildan	.....	D8/356
D. 310,166	8/1990	Fildan	.....	D8/383
3,266,464	8/1966	Davis	.....	24/115 H






FIG. 1




FIG. 3




FIG. 2




FIG. 5




FIG. 4