



US00D343571S

United States Patent [19]

[11] Patent Number: **Des. 343,571**

Von Seggern

[45] Date of Patent: **** Jan. 25, 1994**

[54] SCREW

[76] Inventor: **Edward G. Von Seggern**, 15 Mechanic St., Corinth, N.Y. 12822

[**] Term: **14 Years**

[21] Appl. No.: **669,324**

[22] Filed: **Mar. 14, 1991**

[52] U.S. Cl. **D8/387**

[58] Field of Search **D8/387; 411/378, 403, 411/407, 426, 399**

FOREIGN PATENT DOCUMENTS

0953399 12/1949 France 411/378
1498827 1/1978 United Kingdom 411/403

OTHER PUBLICATIONS

"Handbook of Pictorial Symbols"; R. Modley; ©1976; p. 52; anchor symbol (line 5).

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—S. Michael Bender

[57] CLAIM

The ornamental design for a screw, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the screw showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a perspective view thereof.

[56]

References Cited

U.S. PATENT DOCUMENTS

161,390	3/1875	Cummings	411/407
378,614	2/1888	Palmer	411/399
1,897,196	2/1933	Hunt	411/389
2,684,094	7/1954	Lissy	411/407
3,808,937	5/1974	Roehrig	D8/387
4,572,039	2/1986	Desjardins	411/373




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

