



US00D343582S

# United States Patent [19]

[11] Patent Number: Des. 343,582

Maruyama

[45] Date of Patent: \*\* Jan. 25, 1994

[54] WATCHCASE

[75] Inventor: Tetsuro Maruyama, Tokyo, Japan

[73] Assignee: Seiko Instruments Inc., Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 640,953

[22] Filed: Jan. 14, 1991

[30] Foreign Application Priority Data

Jul. 13, 1990 [JP] Japan ..... D2-23886

[52] U.S. Cl. .... D10/30; D10/38

[58] Field of Search ..... 368/276-278,  
368/280-282, 285, 318, 322, 323; D10/1-39,  
122-126, 128, 129

[56] References Cited

### U.S. PATENT DOCUMENTS

D. 066,660 2/1925 Wadsworth ..... D10/37

D. 165,599 1/1952 Newhouse ..... D10/38

D. 249,874 10/1978 Lawrence ..... D10/38

D. 279,172 6/1985 Hysek ..... D10/39 X

D. 312,579 12/1990 Aikawa ..... D10/39 X

D. 323,125 1/1992 Atagi et al. .... D10/39

Primary Examiner—Nelson C. Holtje  
Assistant Examiner—Martha Thompson  
Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

### [57] CLAIM

The ornamental design for a watchcase, as shown and described.

### DESCRIPTION

FIG. 1 is a front right perspective view of a watchcase showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a left side elevational view thereof; and,  
FIG. 7 is a right side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 6




FIG. 7



FIG. 5

