



US00D343617S

United States Patent [19]

[11] Patent Number: **Des. 343,617**

Kawase et al.

[45] Date of Patent: **** Jan. 25, 1994**

[54] **RADIO RECEIVER COMBINED WITH A CLOCK**

D. 242,078 10/1976 Teller, Jr. D14/195
D. 318,471 7/1991 Wada D10/2 X
D. 323,166 1/1992 Hino et al. D14/195

[75] Inventors: **Atsushi Kawase; Hisanori Narita,**
both of Tokyo, Japan

[73] Assignee: **Sony Corporation,** Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **779,619**

[22] Filed: **Oct. 21, 1991**

[30] **Foreign Application Priority Data**

May 10, 1991 [JP] Japan 3-13586
[52] U.S. Cl. **D14/170; D10/2**
[58] Field of Search 455/344, 350, 351;
D14/124, 168-169, 170-171, 188, 192-195,
197-198, 299; D10/1, 2, 15

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 112,959 1/1939 Marholz D14/195
D. 216,374 12/1969 Yran D14/168

OTHER PUBLICATIONS

Elle, May 1988, p. 238, Sony radio cassette recorder.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H. Maioli

[57] **CLAIM**

The ornamental design for a radio receiver combined with a clock, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a radio receiver combined with a clock, showing our new design;
FIG. 2 is a left-side view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a right-side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a bottom view thereof; and,
FIG. 7 is a perspective view thereof;




FIG. 1





FIG. 2

FIG. 3




FIG. 6




FIG. 5




FIG. 4




FIG. 7

