



US00D343617S

United States Patent [19]

Kawase et al.

[11] Patent Number: Des. 343,617

[45] Date of Patent: ** Jan. 25, 1994

[54] RADIO RECEIVER COMBINED WITH A CLOCK

[75] Inventors: Atsushi Kawase; Hisanori Narita, both of Tokyo, Japan

[73] Assignee: Sony Corporation, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 779,619

[22] Filed: Oct. 21, 1991

[30] Foreign Application Priority Data

May 10, 1991 [JP] Japan 3-13586

[52] U.S. Cl. D14/170; D10/2

[58] Field of Search 455/344, 350, 351; D14/124, 168-169, 170-171, 188, 192-195, 197-198, 299; D10/1, 2, 15

[56] References Cited

U.S. PATENT DOCUMENTS

D. 112,959 1/1939 Marholz D14/195

D. 216,374 12/1969 Yran D14/168

D. 242,078 10/1976 Teller, Jr. D14/195

D. 318,471 7/1991 Wada D10/2 X

D. 323,166 1/1992 Hino et al. D14/195

OTHER PUBLICATIONS

Elle, May 1988, p. 238, Sony radio cassette recorder.

Primary Examiner—Theodore M. Shooman

Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H. Maioli

[57] CLAIM

The ornamental design for a radio receiver combined with a clock, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a radio receiver combined with a clock, showing our new design;

FIG. 2 is a left-side view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a right-side view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a bottom view thereof; and,

FIG. 7 is a perspective view thereof;




FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 5




FIG. 4




FIG. 7

