



US00D343702S

# United States Patent [19]

Robinson

[11] Patent Number: **Des. 343,702**

[45] Date of Patent: **\*\* Jan. 25, 1994**

[54] **COMBINED LIGHTING AND SIGNALLING DEVICE FOR HELMET**

[76] Inventor: **Anthony Robinson, 1277 Hereford Ave., Cleveland Heights, Ohio 44118**

[\*\*] Term: **14 Years**

[21] Appl. No.: **649,817**

[22] Filed: **Feb. 1, 1991**

[52] U.S. Cl. .... **D29/16**

[58] Field of Search ..... 128/206.12, 205.25, 128/206.12, 206.21, 206.28; 2/410-412, 5-6, 424, 425, 10, 9, 173; D29/6-9, 12-13, 15-18

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 181,638 12/1957 Furrer et al. .... D29/9
- D. 212,582 11/1968 Feldmann et al. .... D29/15
- D. 255,283 6/1980 Piche ..... D29/13

- D. 331,645 12/1992 Gallet ..... D29/14
- 4,945,458 7/1990 Batts et al. .... 2/209.2

*Primary Examiner*—Ruth McInroy

[57] **CLAIM**

The ornamental design for combined lighting and signalling device for helmet, as shown.

**DESCRIPTION**

FIG. 1 is a rear perspective view of a combined lighting and signalling device for helmet showing my new design;

FIG. 2 is a front perspective view thereof;

FIG. 3 is a front elevational view thereof;


FIG. 4 is a rear elevational view thereof;


FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;


FIG. 7 is a left side elevational view thereof; and,

FIG. 8 is a right side elevational view thereof.







*Fig. 1*




*Fig. 2*




*Fig. 3*



*Fig. 4*




*Fig. 5*




*Fig. 6*





*Fig. 7*



*Fig. 8*