



US00D343723S

United States Patent [19]

[11] Patent Number: **Des. 343,723**

Adams

[45] Date of Patent: **** Feb. 1, 1994**

[54] **SHOE UPPER**

[75] Inventor: **Fiona J. Adams**, North Quincy, Mass.

[73] Assignee: **Reebok International Ltd.**, Stoughton, Mass.

[**] Term: **14 Years**

[21] Appl. No.: **6,809**

[22] Filed: **Apr. 7, 1993**

[52] U.S. Cl. **D2/970**

[58] Field of Search **D2/264, 265, 272, 275, D2/308-314; 36/45, 83, 84, 89, 100-107, 112-114, 132, 136**

D. 265,016	6/1982	Haddox	D2/310
D. 272,294	1/1984	Watanabe	D2/309
D. 273,244	4/1984	Norton et al.	D2/310
D. 299,786	2/1989	Swett	D2/272 X
D. 331,144	11/1992	Foster	D2/314
D. 334,088	3/1993	Teague	D2/314
1,573,299	2/1926	Bullock	.	
1,581,783	4/1926	Bullock	.	
1,952,628	3/1934	MacDonald	.	

Primary Examiner—**Louis S. Zarfes**
Attorney, Agent, or Firm—**Sterne, Kessler, Goldstein and Fox**

[57] CLAIM

The ornamental design for a shoe upper, as shown and described.


DESCRIPTION

FIG. 1 is left side elevational view of a shoe upper showing my new design;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a front elevational view thereof; and
FIG. 5 is a rear elevational view thereof.
The broken line showing of a shoe sole in the figures is environmental only and forms no part of the claimed design.

[56] References Cited

U.S. PATENT DOCUMENTS

Re. 14,744	10/1919	Hayes	.	
Re. 27,512	10/1972	Onitsuka	.	
D. 57,110	2/1921	Brown	.	
D. 111,808	10/1938	Hosker	.	
D. 128,519	7/1941	Hard	.	
D. 157,034	1/1950	Eldon	D2/310
D. 173,030	9/1954	Hoza	.	
D. 174,987	6/1955	Gillis	.	
D. 248,512	7/1978	Nova et al.	D2/272






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5