



US00D343768S

# United States Patent [19]

Cautereels et al.

[11] Patent Number: Des. 343,768

[45] Date of Patent: \*\* Feb. 1, 1994

## [54] CONVERTIBLE LUNCHBOX

[75] Inventors: Victor J. J. Cautereels, Borsbeek, Belgium; Lee E. Fether, London; Ian Ferris, Wokingham, both of United Kingdom

[73] Assignee: Dart Industries Inc., Deerfield, Ill.

[\*\*] Term: 14 Years

[21] Appl. No.: 886,997

[22] Filed: May 21, 1992

[52] U.S. Cl. .... D7/629

[58] Field of Search ..... D3/30.1, 30.5, 35, 76; D7/601, 626, 629; D9/423, 424; 206/45.11, 541, 543-545, 549, DIG. 10; 220/4.21, 4.23-4.24.324

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 309,555	7/1990	Kime .
929,865	8/1909	Mahony .
2,355,206	8/1944	Davidson, Jr. .
2,446,366	8/1948	Epps .
3,136,398	6/1964	Platt .
3,266,655	8/1966	Trunk .
3,451,580	6/1969	Husby .
3,937,389	2/1976	Wind .


Primary Examiner—Terry A. Wallace  
Attorney, Agent, or Firm—John A. Doninger


## [57] CLAIM

The ornamental design for a convertible lunchbox, as shown and described.

## DESCRIPTION

FIG. 1 is a top, side and end perspective view of a convertible lunchbox showing our new design; FIG. 2 is a front side elevational view thereof; FIG. 3 is a rear side elevational view thereof; of FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a right end elevational view thereof; FIG. 7 is a left end elevational view thereof; FIG. 8 is a longitudinal sectional view thereof on the plane of line 8—8 in FIG. 4; FIG. 9 is a transverse sectional view thereof on the plane of line 9—9 in FIG. 2; FIG. 10 is an exploded perspective view of the cover and tray with the latches open; FIG. 11 is a top, side and end perspective view thereof shown in an alternate position; FIG. 12 is a front side elevational view of FIG. 11; FIG. 13 is a rear side elevational view of FIG. 11; FIG. 14 is a top plan view of FIG. 11; FIG. 15 is a bottom plan view of FIG. 11; FIG. 16 is a left end elevational view of FIG. 11; FIG. 17 is a right end elevational view of FIG. 11; FIG. 18 is a longitudinal sectional view taken along line 18—18 of FIG. 14; FIG. 19 is a transverse sectional view taken along line 19—19 of FIG. 12; FIG. 20 is a partial end perspective view thereof with a mounted nameplate; and, FIG. 21 is a partial perspective view with the latch open and the nameplate exploded therefrom.





*FIG. 1*






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7



*FIG. 8*



*FIG. 9*








FIG. 10




*FIG. 11*





19  
**FIG. 12**



**FIG. 13**




FIG. 14




FIG. 15




FIG. 16




FIG. 17






FIG. 18




FIG. 19

FIG. 20





FIG. 21

