



US00D343798S

United States Patent [19]

[11] Patent Number: **Des. 343,798**

Peersmann

[45] Date of Patent: **** Feb. 1, 1994**

[54] **CLOCK**

D. 163,162	5/1951	Babel	D10/25
D. 174,379	4/1955	Engel	D10/25
D. 186,612	11/1959	Florian	D10/24
D. 199,134	9/1964	McLeod	D10/26

[75] Inventor: **Richard F. M. Peersmann,**
Scheveningen, Netherlands

[73] Assignee: **Pollyflame International B.V.,**
Roelofarendsveen, Netherlands

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Foley & Lardner

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **817,276**

The ornamental design for a clock, as shown and described.

[22] Filed: **Jan. 6, 1992**

DESCRIPTION

[52] U.S. Cl. **D10/23; D10/24**

[58] Field of Search **368/276, 277, 285;**
D10/1-40, 122-132

FIG. 1 is a perspective view of a clock showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side elevational view thereof; and,

FIG. 7 is a left side elevational view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 106,130	9/1937	Bruce	D10/25
D. 144,720	5/1946	Klay	D10/27




FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6

FIG. 7

